

GRUPO INDUSTRIAL SALTILLO
Blvd. Isidro López Zertuche 1839
Saltillo, Coahuila México
29 de abril de 2013

CARTA DE CERTIFICACION

Este documento certifica que las Conexiones de fierro fundido sin campana marca TISA-TAR, están hechas bajo los estándares de calidad y especificaciones basadas en:

ANALISIS QUIMICO:
CISPI 301/ASTM A888

CHEMICAL COMPOSITION FOR GRAY IRON

CHARACTERISTIC	% C	%P	%S	%Cr	%Ti	%Al	%Pb	%C.E
MAX	3.75	0.38	0.15	0.50	0.10	0.50	0.015	4.10

RESISTENCIA:
CISPI 301/ASTM A888

TENSILE STRENGTH TEST- THE TENSILE STRENGTH SHALL NOT BE LESS THAN 21,000 PSI

RECUBRIMIENTO:
CISPI 301/ASTM A888

PIPE AND FITTINGS COATING- THE FITTINGS SHALL BE UNIFORMLY COATED WITH A MATERIAL SUITABLE FOR THE PURPOSE THAT IS ADHERENT, NO BRITTLE AND WITHOUT A TENDENCY TO SCALE.

Fluida S.A. de C.V. empresa de Grupo Industrial Saltillo garantiza y es responsable de la calidad de las piezas que esta empresa suministra.



A handwritten signature in black ink, appearing to be "Juan Beltran Aguilar", written over a horizontal line.

Departamento Aseguramiento de Calidad
Ing. Juan Beltran Aguilar